

PRODUCT-DETAILS

# ACS880-01-040A-5

## ACS880-01-040A-5 Pcont.max:22kW,

## Icont.max:38A



### Informações gerais

Global Commercial Alias	ACS880-01-040A-5
Product ID	3AUA0000090438
ABB Type Designation	ACS880-01-040A-5
Catalog Description	ACS880-01-040A-5 Pcont.max:22kW, Icont.max:38A

### Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
Invoice Description	ACS880-01-040A-5 Pcont.max:22kW, Icont.max:38A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

### Dimensions

Product Net Height	580 mm
Product Net Length	274 mm

Product Net Width	203 mm
-------------------	--------

---

## Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U <sub>in</sub> )	380 ... 500 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	34 A
Output Current, Light-Overload Use	38 A
Output Current, Normal Use	40 A
Output Power, Heavy-Duty Use	19 kW
Output Power, Light-Overload Use	22 kW
Output Power, Normal Use	22 kW

---

## Additional Information

Product Main Type	ACS880-01-040A-5
Product Name	Frequency Converter

---

## Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

---

## Categorias

Drives, inversores e conversores → Drives AC - Baixa Tensão → Industrial Drives - ACS 800 → ACS880 single drives → ACS880-01 - Wall-mounted single drive

