

PRODUCT-DETAILS

# ACS880-01-10A6-2

## ACS880-01-10A6-2 Pcont.max:2,2kW, Icont.max:10,1A



### Informações gerais

Global Commercial Alias	ACS880-01-10A6-2
Product ID	3AUA0000123754
ABB Type Designation	ACS880-01-10A6-2
Catalog Description	ACS880-01-10A6-2 Pcont.max:2,2kW, Icont.max:10,1A

### Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044084
Invoice Description	ACS880-01-10A6-2 Pcont.max:2,2kW, Icont.max:10,1A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

### Dimensions

Product Net Height	409 mm
Product Net Length	226 mm

Product Net Width	155 mm
-------------------	--------

---

## Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U <sub>in</sub> )	208 ... 240 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	7.5 A
Output Current, Light-Overload Use	10.1 A
Output Current, Normal Use	10.6 A
Output Power, Heavy-Duty Use	1.5 kW
Output Power, Light-Overload Use	2.2 kW
Output Power, Normal Use	2.2 kW

---

## Additional Information

Product Main Type	ACS880-01-10A6-2
Product Name	Frequency Converter

---

## Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

---

## Categorias

Drives, inversores e conversores → Drives AC - Baixa Tensão → Industrial Drives - ACS 800 → ACS880 single drives → ACS880-01 - Wall-mounted single drive

