

PRODUCT-DETAILS

ACS880-01-180A-5

ACS880-01-180A-5 P_{cont.max}:110kW, I_{cont.max}:171A



Informações gerais

Global Commercial Alias	ACS880-01-180A-5
Product ID	3AUA0000090444
ABB Type Designation	ACS880-01-180A-5
Catalog Description	ACS880-01-180A-5 P _{cont.max} :110kW, I _{cont.max} :171A

Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
Invoice Description	ACS880-01-180A-5 P _{cont.max} :110kW, I _{cont.max} :171A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions

Product Net Height	880 mm
Product Net Length	365 mm

Product Net Width	284 mm
-------------------	--------

Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U_{in})	380 ... 500 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	156 A
Output Current, Light-Overload Use	171 A
Output Current, Normal Use	180 A
Output Power, Heavy-Duty Use	90 kW
Output Power, Light-Overload Use	110 kW
Output Power, Normal Use	110 kW

Additional Information

Product Main Type	ACS880-01-180A-5
Product Name	Frequency Converter

Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

Categorias

Drives, inversores e conversores → Drives AC - Baixa Tensão → Industrial Drives - ACS 800 → ACS880 single drives → ACS880-01 - Wall-mounted single drive

